

RECEIVED
CENTRAL FAX CENTER

JAN 07 2007

TELEFACSIMILE
LINA GENOVESI
24 CLOVER LANE,
PRINCETON, NEW JERSEY 08540
Telephone: (609) 462-4337
Fax No: (609) 688-0126**PLEASE DELIVER DIRECTLY TO EXAMINER KEVIN QUATERMAN**TO: Commissioner for Patents
Alexandria, Virginia 22313

FAX NO.: (571) 273-8300

DATE: January 7, 2007

FROM: LINA GENOVESI

PAGES: 7 (including cover page)

OUR REF.: NL 020101

We are transmitting herewith papers for filing in:

PATENT APPLICATION OF: BLEES

SERIAL NO.: 10/511,372

CONFIRMATION NO: 8681

FILING DATE: October 14, 2004

GROUP ART UNIT: 2879

FOR: PLASMA DISPLAY PANEL
COMPRISING A TERBIUM(III)-ACTIVATED
FLUORESCENT SUBSTANCE

EXAMINER: KEVIN QUATERMAN


PAPERS TRANSMITTED:

1. Amendment Transmittal Letter
2. Amendment

If you have any problems with your reception of this facsimile transmission, please telephone the sender at (609) 462-4337

CERTIFICATION OF FACSIMILE TRANSMISSION UNDER 37 C.F.R. 1.8(a)

I hereby certify that this paper is being filed with the United States Patent and Trademark Office by facsimile transmission January 7, 2007 to facsimile telephone number (571) 273-8300.


Lina Genovesi

REG. NUMBER

35,154

PENY4-044217.1

BEST AVAILABLE COPY

JAN 07 2007

CERTIFICATE OF MAILING OR TRANSMISSION					PATENT APPLICATION		
I certify that this correspondence is being:					Attorney Docket No.		
[] deposited with the U.S. Postal Service with sufficient postage as first-class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.					NL 020101		
[X] transmitted by facsimile to the U.S. Patent and Trademark Office at (571) 273-8300							
On	January 7, 2007						
	Date						
AMENDMENT TRANSMITTAL LETTER							
In re application of: DUINEVELD							
Application Number 10/511,372		Filing Date 10/14/04		Examiner Kevin Quarterman		Group Art Unit 2879	
Title: PLAMA DISPLAY PANEL COMPRISING A TERBIUM(III)-ACTIVATED FLUORESCENT SUBSTANCE							
TO THE COMMISSIONER FOR PATENTS: Transmitted herewith is an amendment in the above-identified application. The fee has been calculated as shown below.							
CLAIMS AS AMENDED							
(1)	(2) Claims Remaining after Amend.	(3)	(4) Highest No. Previously Paid For		(5) No. of Extra Claims	(6) Rate	(7) Additional Fee
Total Claims		Minus	20	=	0	x \$ 50	\$ 0.00
Independent Claims		Minus	3	=	0	x \$ 200	\$ 0.00
Multiple Dependent Claims	0	Minus	0	=	0	x \$ 360	\$ 0.00
Total Additional Fee for this Amendment						\$ 0.00	
<input checked="" type="checkbox"/>	No additional fee is required.						
<input type="checkbox"/>	Charge \$ 0.00 to Deposit Account No. An additional copy of this sheet is enclosed.						
<input type="checkbox"/>	Reference Accompanying Amendment for Overpayment, Underpayment and Extension of Time Instructions.						
<input type="checkbox"/>	A return receipt postcard is enclosed.						
<input type="checkbox"/>	Additional papers enclosed:						
Lina Genovesi Registration No. 35,154				January 7, 2007 Date of Signature Telephone No. (609) 462 4337			

Appl. No. 10/511,372
Amendment and/or Response
Reply to Office Action of October 6, 2006

RECEIVED
CENTRAL FAX CENTER

Page 1 of 5

JAN 07 2007

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

Appl.No : 10/511,372

Applicant(s): JUSTEL

Filed : October 14, 2004

TC/A.U. : 2879

Examiner : KEVIN J. QUARTERMAN

Atty. Docket: DE 020101

Title: PLASMA DISPLAY PANEL COMPRISING A TERBIUM(III)-ACTIVATED
FLUORESCENT SUBSTANCE

CERTIFICATE OF
TRANSMISSION

I certify that this paper is
being transmitted by fac-
simile to the U.S. Patent
and Trademark Office at
(571) 273-8300

on: 7 January 2007

By: 

AMENDMENT and/or RESPONSE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the non-final Office Action dated October 6, 2006, please
amend the above referenced Application as follows and reconsider the Application in
light of the following remarks.

This paper includes (each beginning on a separate sheet):

1. Amendments to and/or listing of the claims; and
2. Remarks / Discussion of issues.

BEST AVAILABLE COPY